

How to add exclusions to external devices control like USB devices


The “External devices control” profile section, allows the user to block the access of the external devices at the endpoints. The devices like “Bluetooth devices”, “USB storage devices” can be blocked. Thus it blocks every USB storage devices that are added to the devices. Add exclusions to certain devices using wild characters in the device id.

For example Device ID = “USBSTOR\DiskHUAWEI_”*


The Device ID matches the above wild characters, will be excluded from the restrictions.

Note: A Device ID can be obtained from the “[Device Manager](#)” in the Windows device.


Example: Open the Device Manager, select Hardware devices (Universal Serial Bus controllers) and select appropriate hardware like USB Root Hub and then right-click and go to properties → Details → choose hardware id from the property, **The value listed is the Device ID**



Step [1]: Go to “Configuration Templates” -> “Profiles”. Select a profile from the list, to which you add the exclusions to the external devices.




Step [2]: Go to “External Devices control” tab. There are two tabs available



1. The “Blocked Devices Classes” tab - A device class such as "USB devices" that are to be excluded can be added here and it also lists the blocked devices classes.

2. The “Exclusion” tab - Lists the exclusion added to the blocked devices.

Step [3]: click “Edit” button in the “External Devices control” and go to “Exclusion” tab and click “Add” button, the “Add Exclusion” dialog box appears. Provide the “Device custom name” and “Device Id” and click Add button. The exclusion will be added.



Optimum Windows Profile

General Monitoring Containment HIPS Antivirus File Rating Firewall VirusScope Valkyrie

External Devices Control

☐ Enable device control
This option blocks devices of a client computer from accessing, such as USB drives, Bluetooth devices, printers, and serial and parallel ports.

☐ Log detected devices

☐ Show notifications when devices disabled or enabled

Blocked Device Classes **Exclusions**

Use this table to manage the list of devices to which you want to allow access

<input type="checkbox"/>	DEVICE CUSTOM NAME	DEVICE ID
<input type="checkbox"/>	HS100	USBSTOR\DiskHUAWEI_*
<input type="checkbox"/>	HS100	HUAWEI_*

No results found.

Add Exclusion

Device custom name
HS100

Device ID *
USBSTOR\DiskHUAWEI_*

1. Device custom name - Name of the device. Eg: AS123

2. Device Id - Unique identifier of the device.

Condition: If you want to add the exclusion to all the HUAWEI USB devices that are being connected to the endpoints.

Give a device id that matches all the HUAWEI devices.

Example: Device Id: " USBSTOR\DiskHUAWEI_* "

Device id: "HUAWEI_* "

So it adds exclusions to the following devices (Refer above Example in the Note).

1. USBSTOR\DiskHUAWEI__TF_CARD_Storage_2.31

- 2.USBSTOR\DiskHUAWEI__TF_CARD_Storage_
- 3.USBSTOR\DiskHUAWEI__TF_CARD_Storage_2
- 4.USBSTOR\DiskHUAWEI__
- 5.DiskHUAWEI__

Similarly, N number of devices that match the string mentioned in the device id, can be added to the exclusions.

Step [4]: To delete the exclusion, select the checkbox of the exclusion and click “Delete ” button. The Exclusion will be removed from the device.

Blocked Device Classes **Exclusions**

Use this table to manage the list of devices to which you want to allow access

Add Delete

<input type="checkbox"/>	DEVICE CUSTOM NAME	DEVICE ID
<input type="checkbox"/>	HS100	USBSTOR\DiskHUAWEI_*
<input checked="" type="checkbox"/>	HS100	HUAWEI_*

Exclusion Remove ×

Do you really want to remove this device id(s)?

Confirm Cancel

Blocked Device Classes **Exclusions**

Use this table to manage the list of devices to which you want to allow access

Add Delete

<input type="checkbox"/>	DEVICE CUSTOM NAME	DEVICE ID
<input type="checkbox"/>	HS100	USBSTOR\DiskHUAWEI_*

Note: This setting will be applied to the endpoints only when the profile is added to that particular endpoint.