


How to configure a profile so CCS will ignore local trust ratings (verdicts)


- A file rating determines how Comodo Client Security (CCS) interacts with a file.
 - 'Trusted' files are safe and are allowed to run normally.
 - 'Untrusted' files are malware, so they get quarantined or deleted.
 - 'Unknown' files are run in the container until they are classified as trusted or untrusted.
- File ratings can be set by two entities:
 - **Comodo** - CCS automatically checks the reputation of files on Comodo's file lookup service (FLS). The FLS contains the very latest trust verdicts from Comodo's master blacklists and whitelists.
 - **Local** - Local trust verdicts are set by users or admins and are stored in CCS on the endpoint. For example, a user can assign a trust level to a file when answering an alert. Alternatively, an admin can assign a local rating in [Endpoint Manager](#) ('Security Sub-systems' > 'Application Control' > 'Change Rating').
- Should you wish, you can specify that your endpoints only use 'Comodo' ratings and ignore any local ratings.

Disable the Local Verdict Server in a profile

- Open Endpoint Manager
- Click 'Configuration Templates' > 'Profiles'
- Click the name of the profile you want to edit OR click 'Create' to make a new profile
- Click the 'File Rating' tab
 - Click 'Add Profile Section' > 'File Rating' if you have not yet added the section:



- Click 'File Rating' > 'Local Verdict Server Settings' in the file rating section:



- **Enable Local Verdict Server:**

- Enabled - CCS will obey the local trust verdict on a file in the event of a conflict with Comodo's verdict.
- Disabled - CCS will ignore local verdicts and only use Comodo verdicts to determine the trust level of a file

- Clear the 'Enable Local Verdict Server' box to disable local verdicts.

- Click 'Save'

- Comodo Client Security will now disregard any local file ratings and will only use Comodo ratings when deciding how to handle a file.

- You can test the interaction between Comodo and local ratings per file in 'Security Sub-systems' > 'Application Control':

	FILE HASH	SIZE	# OF DEVICES	COMODO RATING	ADMIN RATING
Rate File as Trusted				Trusted	Not set
Rate File as Unrecognized				Unrecognized	Trusted
Rate File as Malicious				Unrecognized	Trusted
ccsetup539.exe	C:\Users\stuxnet\Desktop\New folder (2)\ccsetup5...	46AC9F993765F87FF419D58554739803273A3C79	N/A	1	Unrecognized
CuteWriter30.exe	C:\Users\cool\Desktop\CuteWriter30.exe	3E5974149CA43FBA9385D9032D7D4160644BCC86	N/A	1	Unrecognized
disk-defrag-setup(1).exe	C:\Users\cool\Desktop\disk-defrag-setup(1).exe	D5A179660F19786882D0A8174F2442E7A4C64CF4	7.8 MB	1	Unrecognized
Firefox Setup 58.0.1 (2)...	C:\Users\stuxnet\Desktop\New folder (2)\Firefox Se...	57E47376B1556982F1BA1886DA942D3A74A1681C	N/A	1	Unrecognized
Firefox_Setup_56.0.1_x3...	C:\Windows\Temp\COMODO\Firefox_Setup_56.0.1...	75285A05D9AF5B7491A849357E1155F063982C73	64 MB	1	Trusted
Firefox_Setup_56.0.1_x6...	C:\Windows\Temp\COMODO\Firefox_Setup_56.0.1...	F3DF31343AFC90D3D3B889931ED43C08DE77E683	64 MB	1	Trusted

- The example above shows an admin applying a malicious rating to a file, even though the Comodo rating is 'Trusted'. CCS will ignore the admin rating if you have disabled the local verdict server as explained earlier.

APPLICATIONS

MANAGEMENT

REPORTS

STORE

TOOLS

PARTNER

Endpoint Manager

Application Control

License Options

Logout (kamal@yopmail)

DASHBOARD

DEVICES

USERS

CONFIGURATION TEMPLATES

APPLICATION STORE

APPLICATIONS

SECURITY SUB-SYSTEMS

Containment

Application Control

Next Gen Sandbox

Antivirus

Device Control

SETTINGS

File Details

Change Rating

Record

Import / Export

	FILE NAME	FILE PATH	FILE HASH	SIZE	# OF DEVICES	COMODO RATING	ADMIN RATING
<input type="checkbox"/>	BitlordSetup_V6Xd5N_30...	C:\Users\win832\Desktop\BitlordSetup_V6Xd5N_30...	5CE6847125533DE9DEB8388AEFDA8B6530AA5B9C	N/A	1	Trusted	Malicious
<input type="checkbox"/>	ccsetup539.exe	C:\Users\stuxnet\Desktop\New folder (2)\ccsetup5...	46AC9F993765F87FF419058554739B03273A3C79	N/A	1	Unrecognized	Trusted
<input type="checkbox"/>	CuteWriter30.exe	C:\Users\cool\Desktop\CuteWriter30.exe	3E5974149CA3FBA9385D9D32D7D4160644BCC86	N/A	1	Unrecognized	Trusted
<input type="checkbox"/>	disk-defrag-setup(1).exe	C:\Users\cool\Desktop\disk-defrag-setup(1).exe	D5A179660F19786882D0AB174F2442E7A4C64CF4	7.8 MB	1	Unrecognized	Trusted
<input type="checkbox"/>	Firefox_Setup 58.0.1 (2)...	C:\Users\stuxnet\Desktop\New folder (2)\Firefox Se...	57E47376B1556982F1BA1886DA942D3A74A1681C	N/A	1	Unrecognized	Trusted
<input type="checkbox"/>	Firefox_Setup_56.0.1_x3...	C:\Windows\Temp\COMODO\Firefox_Setup_56.0.1_...	75285A05D9AF5B7491A849357E1155F063982C73	64 MB	1	Trusted	Not set
<input type="checkbox"/>	Firefox_Setup_56.0.1_x6...	C:\Windows\Temp\COMODO\Firefox_Setup_56.0.1_...	F3DF31343AFC90D3D3B889931ED43C08DE77E683	64 MB	1	Trusted	Not set
<input type="checkbox"/>	gimageReader_3.2.1_qt5...	C:\Users\C1-EN-WIN8\Desktop\gimageReader_3.2...	1CDEB5B848D90DEB83EB1F47F6F4AD7D8622292D	28.6 MB	1	Unrecognized	Not set